

KX60

60mm Receipt/Ticket Kiosk Printer

KX60 is the **ultralightweight** and **super compact design** receipt and ticket printer. Its **robust cutter**, easy-to-inspect design, and integrated **roll holder**, make it a reliable and flexible device.





CHARACTERISTICS

1. Ultra-compact
Design

2. Two models
Horizontal (H) and Vertical (V)

3. Robust cutter
Full and partial cutting

4. Easy
To inspect and use design

5. Integrated
Roll holder and paper mouth

APPLICATIONS

- Vending machines
- Kiosk self-service
- Gas station
- Gaming machines
- Parking meters
- Queue management systems

CUSTOM

Image not found or type unknown

TECHNICAL SHEET

Printing method	Thermal with fixed head
Resolution	203 dpi
Printing speed	max 200 mm/s
Paper width	60 mm
Paper thickness	from 50µm to 120µm
Roll diameter	up to 100 mm
Printing direction	Standard, reversed
Interfaces	USB 2.0 full speed Serial RS232
Supported Barcodes	UPC-E, EAN8, EAN13, CODE39, CODE93, CODE128, ITF, CODABAR, PDF417, QR CODE
Character Set	European, English, American, Japanese, Korean
MTBF Cutter	1M cuts, full or partial cutting
MTBF Head	100 Km / 100M pulses
Operating temperature	from -20 to +60°C
Sensors	Head temperature, Paper presence, notch presence, external near paper end
Drivers	Windows® (32/64 bit); CUPS Linux (32/64 bit) Debian, Redhat; Android™; Printer Driver Installer
Utility	Memory switch setting Utility, Logo setup tool, Firmware update
Dimensions (with 100 mm paper roll)	KX60H: 98.1 mm (L) x 151.3 mm (W) x 119.2 mm (H) KX60V: 98.1 mm (L) x 119.2 mm (W) x 177.1 mm (H)
Weight	380 g

MODELS



915PF010100300
PRINTER KX60 HORIZONTAL USB RS232 WITH ROLL HOLDER



915PF010200300
PRINTER KX60 VERTICAL USB RS232 WITH ROLL HOLDER

Via Berettine, 2 - 43010 Fontevivo PR - VAT: IT02498250345 - TEL: +39 0521 680111 - FAX: +39 0521 610701 - UNIQUE CODE: 8RQN7AZ

The technical data on this website are not binding and may be changed without advanced notice.
Last update: 26 June 2025